



Thank you for giving UL the opportunity to partner with you.

Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at

<https://www.ul.com/about/locations>.

Please find attached the related material on Project 4789908377

For your convenience, the below describes the related updates:

If there are illegible images in this package, legible images may be found online via myUL Portal.

E204356-A6030-DescriptionUL
Figure-134-Total
E204356-A6030-TestRecordUL

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

UL TEST REPORT AND PROCEDURE

Standard:	UL 62368-1, 2nd Ed, 2014-12-01 (Audio/video, information and communication technology equipment Part 1: Safety requirements) CAN/CSA C22.2 No. 62368-1-14, 2nd Ed, Issued: 2014-12-01 (Audio/video, information and communication technology equipment Part 1: Safety requirements)
Certification Type:	Component Recognition
CCN:	AZOT2, AZOT8 (Audio/video, Information and Communication Technology Equipment)
Complementary CCN:	N/A
Product:	LCD Panel (LED Backlight)
Model:	M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank)
Rating:	N/A
Applicant Name and Address:	AU OPTRONICS CORP 1 LI-HSIN RD 2 HSINCHU SCIENCE PARK HSINCHU 300 TAIWAN

This is to certify that representative samples of the products covered by this Test Report have been investigated in accordance with the above referenced Standards. The products have been found to comply with the requirements covering the category and the products are judged to be eligible for Follow-Up Service under the indicated Test Procedure. The manufacturer is authorized to use the UL Mark on such products which comply with this Test Report and any other applicable requirements of UL LLC ('UL') in accordance with the Follow-Up Service Agreement. Only those products which properly bear the UL Mark are considered as being covered by UL's Follow-Up Service under the indicated Test Procedure.

The applicant is authorized to reproduce the referenced Test Report provided it is reproduced in its entirety.

UL authorizes the applicant to reproduce the latest pages of the referenced Test Report consisting of the first page of the Specific Technical Criteria through to the end of the Conditions of Acceptability.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Prepared By: Slash Chang / Senior Project Engineer

Reviewed By: Scott Chen / Senior Project Engineer

Supporting Documentation

The following documents located at the beginning of this Procedure supplement the requirements of this Test Report:

A. Authorization - The Authorization page may include additional Factory Identification Code markings.

B. Generic Inspection Instructions -

- i. Part AC details important information which may be applicable to products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of this Test Report.
- ii. Part AE details any requirements which may be applicable to all products covered by this Procedure. Products described in this Test Report must comply with any applicable items listed unless otherwise stated in the body of each Test Report.
- iii. Part AF details the requirements for the UL Certification Mark which is not controlled by the technical standard used to investigate these products. Products are permitted to bear only the Certification Mark(s) corresponding to the countries for which it is certified, as indicated in each Test Report.

Product Description

The equipment under test (EUT) is a Color TFT LCD module with LED type LCD Backlight unit intended to use in information technology equipment.

Construction and documentation check only. No test was considered necessary due to this product is the component, all test will be testing in the end product.

Model Differences

All models are identical except for model designation for marketing purpose.

Test Item Particulars

Classification of use by	To be determined in end product
Supply Connection	External Circuit - not Mains connected ES1
Supply % Tolerance	None
Supply Connection – Type	To be determine in end product
Considered current rating of protective device as part of building or equipment installation	N/A
Equipment mobility	for building-in
Over voltage category (OVC)	other: Not Mains connected
Class of equipment	Class III
Access location	N/A
Pollution degree (PD)	PD 2
Manufacturer's specified maximum operating ambient (°C)	50
IP protection class	IPX0
Power Systems	N/A
Altitude during operation (m)	5000 m
Altitude of test laboratory (m)	2000 m or less
Mass of equipment (kg)	Max. 3.4

Technical Considerations

- ☐ The product was submitted and evaluated for use at the maximum ambient temperature (T_{ma}) permitted by the manufacturer's specification of : 50°C
- ☐ Mains supply tolerance (%) or absolute mains supply values : No direct connection
- ☐ The Risk Group of a lamp or lamp system (including LEDs) is : Exempt
- ☐ The following are available from the Applicant upon request : Product specification
- ☐ The product was investigated to the following additional standard : EN 62368-1:2014 + A11:2017, UL 62368-1 2ND Ed, Issued December 1, 2014, CSA CAN/CSA-C22.2 NO. 62368-1 2nd Ed, Issued December 1, 2014, AS/NZS 62368.1:2018, J62368-1 (H30)

Engineering Conditions of Acceptability

For use only in or with complete equipment where the acceptability of the combination is determined by UL LLC. When installed in an end-product, consideration must be given to the following:

- ☐ The investigated Pollution Degree is : 2
- ☐ The following end-product enclosures are required : Fire, Mechanical
- ☐ The supply source shall be ES1.
- ☐ Classification of PIS has not been conducted. Therefore, all electrical components were assumed to be resistive PIS
- ☐ This component has been evaluated in "control of fire spread" method assuming appropriate fire enclosure is provided in end product.
- ☐ The touch temperature for Panel Surface shall be evaluated in end product.

Additional Information

N/A

Additional Standards

The product fulfills the requirements of: N/A

Markings and Instructions

Clause Title	Marking or Instruction Details

Special Instructions to UL Representative

N/A

BD1.0	TABLE: Production-Line Testing Requirements					
BD1.1	Electric Strength Test Special Constructions – Refer to Generic Inspection Instructions, Part AC for further information.					
Model	Component	Removable parts	Test probe location	Test V rms	Test V dc	Test Time, s
BD1.2	Earthing Continuity Test Exemptions – This test is not required for the following models:					
	All Model					
BD1.3	Electric Strength Test Exemptions – This test is not required for the following models:					
	All Model					
BD1.4	Electric Strength Test Component Exemptions – The following solid-state components may be disconnected from the remainder of the circuitry during the performance of this test.					

BE1.0	Sample and Test Specifics for Follow-Up Tests at UL				
Model	Component	Material	Test	Sample (s)	Test Specifics

4.1.2	TABLE: List of critical components					Pass
Object / part No.	Manufacturer/ trademark	Type / model	Technical data	Product Category CCN(s)	Mark(s) of conformity	Supplement ID
01. Enclosure / Chassis	Interchangeable	Interchangeable	Steel metal or Aluminum.	--	--	
02. PWB	Interchangeable	Interchangeable	Minimum V-1 or better, 105 degree C min.	ZPMV2	UL	
03. Internal Wirings (Optional)	Interchangeable	Interchangeable	FEP, PTFE, PVC, TFE, neoprene, polyimide or marked VW-1; minimum 30 V, 105 degree C min.	AVLV2	UL	
04. Connectors and Receptacles (ES1/ES2 circuits)	Interchangeable	Interchangeable	--	ECBT2, RTRT2	UL	
04a. Connectors and Receptacles (ES1/ES2 circuits) (Alternate)	Interchangeable	Metal/Plastic	Copper alloy pins housed in bodies of plastic rated V-2 min.	QMFZ2	UL	
05. Flexible PWB (Optional)	Interchangeable	Interchangeable	Rated V-2 minimum or VTM-2 minimum, when no components mounted on surface; If components mounted on surface, it should be minimum V-1 or VTM- 1, 80 degree C	ZPXK2, ZPMV2	UL	
05a. Flexible PWB (Optional) (Alternative)	Interchangeable	Interchangeable	Rated V-2 minimum or VTM-2 minimum, when no components mounted on surface, 80 degree C	QMFZ2, QMTS2	UL	
05b. Flexible PWB (Optional) (Alternative)	Interchangeable	Interchangeable	Flammability level is ignored, when combustible material	--	--	

			are small parts (4g maximum).			
06. Label	Interchangeable	Interchangeable	Min. 60 degree C, suitable for applied surface	PGDQ2 or PGJ12	UL	
07. Mylar / Cover film for PCBA (Optional)	Interchangeable	Interchangeable	Minimum V-2 or VTM-2 or better	QMFZ2	UL	
07a. Mylar / Cover film for PCBA (Optional) (Alternate)	Interchangeable	Interchangeable	Flammability level is ignored, when combustible material are small parts (4g maximum).	--	--	
08. Panel	AU Optronics Corp.	Interchangeable	TFT-LCD Type, 27 inch	--	--	

Enclosures

Type	Supplement Id	Description
Photographs	03-01	Front view of Model M270HWZZ - construction 1
Photographs	03-02	Rear view of Model M270HWZZ with Mylar - construction 1
Photographs	03-03	Rear view of Model M270HWZZ without Mylar - construction 1
Photographs	03-04	Control board 1 - Front view
Photographs	03-05	Control board 1 - Rear view
Photographs	03-06	Front view of Model M270HWZZ - construction 2
Photographs	03-07	Rear view of Model M270HWZZ with metal cover - construction 2
Photographs	03-08	Rear view of Model M270HWZZ without metal cover - construction 2
Photographs	03-09	Control board 2 - Front view
Photographs	03-10	Control board 2 - Rear view
Photographs	03-11	Front view of Model M270HWZZ - construction 3
Photographs	03-12	Rear view of Model M270HWZZ - construction 3
Photographs	03-13	Control board 3 - front view
Photographs	03-14	Control board 3 - rear view
Photographs	03-15	Front view of Model M270HWZZ - construction 4
Photographs	03-16	Rear view of Model M270HWZZ - construction 4
Photographs	03-17	Control board 4 - front view
Photographs	03-18	Control board 4 - rear view
Photographs	03-19	Front view of Model M270HWZZ - construction 5
Photographs	03-20	Rear view of Model M270HWZZ with metal cover - construction 5
Photographs	03-21	Rear view of Model M270HWZZ without metal cover - construction 5
Photographs	03-22	Rear view of Model M270HWZZ with metal cover - construction 6
Photographs	03-23	Rear view of Model M270HWZZ without metal cover - construction 6
Photographs	03-24	Front view of Model M270DANZZZZ - construction 7
Photographs	03-25	Rear view of Model M270DANZZZZ with metal cover - construction 7
Photographs	03-26	Rear view of Model M270DANZZZZ without metal cover - construction 7
Photographs	03-27	Rear view of Model M270DANZZZZ without metal cover, layout side of control board - construction 7
Photographs	03-28	Front view of Model M270DANZZZZ - construction 8

Photographs	03-29	Rear view of Model M270DANZZZZ with metal cover - construction 8
Photographs	03-30	Rear view of Model M270DANZZZZ without metal cover - construction 8
Photographs	03-31	Rear view of Model M270DANZZZZ without metal cover, layout side of control board - construction 8
Photographs	03-32	Front view of Model M270HWZZ - construction 9
Photographs	03-33	Rear view of Model M270HWZZ with Mylar - construction 9
Photographs	03-34	Rear view of Model M270HWZZ without Mylar - construction 9
Photographs	03-35	Rear view of Model M270HWZZ without Mylar, control board layout side - construction 9
Photographs	03-36	Front view of Model M270DANZZZZ - construction 10
Photographs	03-37	Rear view of Model M270DANZZZZ with metal cover - construction 10
Photographs	03-38	Rear view of Model M270DANZZZZ without metal cover - construction 10
Photographs	03-39	Rear view of Model M270DANZZZZ without metal cover, layout side of control board - construction 10
Photographs	03-40	Front view of model M270HTNZZZZ - construction 11
Photographs	03-41	Rear view of Model M270HTNZZZZ with Mylar - construction 11
Photographs	03-42	Rear view of Model M270HTNZZZZ without Mylar - construction 11
Photographs	03-43	Front view of model M270HTNZZZZ - construction 12
Photographs	03-44	Rear view of Model M270HTNZZZZ with Mylar - construction 12
Photographs	03-45	Rear view of Model M270HTNZZZZ without Mylar - construction 12
Photographs	03-46	Control boards for construction 11 & 12
Photographs	03-47	Front view of model M270DANZZZZ - construction 13
Photographs	03-48	Rear view of Model M270DANZZZZ with Mylar - construction 13
Photographs	03-49	Rear view of Model M270DANZZZZ without Mylar - construction 13
Photographs	03-50	Front view of model M270HANZZZZ - construction 14
Photographs	03-51	Rear view of Model M270HANZZZZ with Mylar - construction 14
Photographs	03-52	Rear view of Model M270HANZZZZ without Mylar - construction 14
Photographs	03-53	Front view of model M270HANZZZZ - construction 15
Photographs	03-54	Rear view of Model M270HANZZZZ with Mylar - construction 15

Photographs	03-55	Rear view of Model M270HANZZZZ without Mylar - construction 15
Photographs	03-56	Front view of model M270HANZZZZ - construction 16
Photographs	03-57	Rear view of model M270HANZZZZ with metal cover - construction 16
Photographs	03-58	Rear view of model M270HANZZZZ without metal cover - construction 16
Photographs	03-59	Front view of model M270HANZZZZ - construction 17
Photographs	03-60	Rear view of model M270HANZZZZ with metal cover - construction 17
Photographs	03-61	Rear view of model M270HANZZZZ without metal cover - construction 17
Photographs	03-62	Front view of model M270DANZZZZ - construction 18
Photographs	03-63	Rear view of model M270DANZZZZ with metal cover - construction 18
Photographs	03-64	Rear view of model M270DANZZZZ without metal cover - construction 18
Photographs	03-65	Front view of model M270HANZZZZ - construction 19
Photographs	03-66	Rear view of Model M270HANZZZZ with Mylar - construction 19
Photographs	03-67	Rear view of Model M270HANZZZZ without Mylar - construction 19
Photographs	03-68	Front view of model M270DANZZZZ - construction 20
Photographs	03-69	Rear view of model M270DANZZZZ with metal cover - construction 20
Photographs	03-70	Rear view of model M270DANZZZZ without metal cover - construction 20
Photographs	03-71	Front view of model M270HTNZZZZ - construction 21
Photographs	03-72	Rear view of Model M270HTNZZZZ with Mylar - construction 21
Photographs	03-73	Rear view of Model M270HTNZZZZ without Mylar - construction 21
Photographs	03-74	Front view of model M270DANZZZZ - construction 22
Photographs	03-75	Rear view of model M270DANZZZZ with Mylar - construction 22
Photographs	03-76	Rear view of model M270DANZZZZ without Mylar - construction 22
Photographs	03-77	Control board 22
Photographs	03-78	Front view of model M270DANZZZZ - construction 23
Photographs	03-79	Rear view of model M270DANZZZZ with metal cover - construction 23
Photographs	03-80	Rear view of model M270DANZZZZ without metal cover - construction 23
Photographs	03-81	Front view of model M270HANZZZZ. - construction 24

Photographs	03-82	Rear view of model M270DANZZZZ with Mylar - construction 24
Photographs	03-83	Rear view of model M270DANZZZZ without Mylar - construction 24
Photographs	03-84	Rear view of model M270DANZZZZ without Mylar, layout side of control board - construction 24
Photographs	03-85	Front view of model M270DANZZZZ - construction 25
Photographs	03-86	Rear view of model M270DANZZZZ with Mylar - construction 25
Photographs	03-87	Rear view of model M270DANZZZZ without Mylar - construction 25
Photographs	03-88	Front view of model M270HANZZZZ with Metal Cover - construction 26
Photographs	03-89	Rear view of model M270HANZZZZ with Metal Cover - construction 26
Photographs	03-90	Rear view of model M270HANZZZZ without Metal Cover - construction 26
Photographs	03-91	Front view of model M270DANZZZZ - construction 27
Photographs	03-92	Rear view of model M270DANZZZZ with metal enclosure - construction 27
Photographs	03-93	Rear view of model M270DANZZZZ without enclosure cover - construction 27
Photographs	03-94	Front view of model M270DANZZZZ - construction 28
Photographs	03-95	Rear view of model M270DANZZZZ - construction 28
Photographs	03-96	Front view of model M270DANZZZZ - construction 29
Photographs	03-97	Rear view of model M270DANZZZZ with metal enclosure - construction 29
Photographs	03-98	Rear view of model M270DANZZZZ with metal enclosure - construction 29
Photographs	03-99	Front view of model M270DANZZZZ - construction 30
Photographs	03-100	Rear view of model M270DANZZZZ with metal enclosure - construction 30
Photographs	03-101	Rear view of model M270DANZZZZ with metal enclosure - construction 30
Photographs	03-102	Front view of model M270DANZZZZ - construction 31
Photographs	03-103	Rear view of model M270DANZZZZ with mylar - construction 31
Photographs	03-104	Rear view of model M270DANZZZZ without mylar - construction 31
Photographs	03-105	Front view of model M270DANZZZZ - construction 32
Photographs	03-106	Rear view of model M270DANZZZZ with mylar - construction 32
Photographs	03-107	Rear view of model M270DANZZZZ without mylar - construction 32

Photographs	03-108	Front view of model M270HANZZZZ - construction 33
Photographs	03-109	Rear view of model M270HANZZZZ with mylar - construction 33
Photographs	03-110	Rear view of model M270HANZZZZ without mylar - construction 33
Photographs	03-111	Front view of model M270DANZZZZ - construction 34
Photographs	03-112	Rear view of model M270DANZZZZ with mylar - construction 34
Photographs	03-113	Rear view of model M270DANZZZZ without mylar - construction 34
Photographs	03-114	Front view of model M270DANZZZZ - construction 35
Photographs	03-115	Rear view of model M270DANZZZZ with mylar - construction 35
Photographs	03-116	Rear view of model M270DANZZZZ without mylar - construction 35
Photographs	03-117	Front view of model M270DANZZZZ - construction 36
Photographs	03-118	Rear view of model M270DANZZZZ with metal cover - construction 36
Photographs	03-119	Rear view of model M270DANZZZZ without metal cover - construction 36
Photographs	03-120	Front view of model M270DANZZZZ - construction 37
Photographs	03-121	Rear view of model M270DANZZZZ with mylar - construction 37
Photographs	03-122	Rear view of model M270DANZZZZ without mylar - construction 37
Photographs	03-123	Front view of model M270DANZZZZ - construction 38
Photographs	03-124	Rear view of model M270DANZZZZ with mylar, construction 38
Photographs	03-125	Rear view of model M270DANZZZZ without mylar, construction 38
Photographs	03-126	Front view of model M270DANZZZZ - construction 39
Photographs	03-127	Rear view of model M270DANZZZZ with mylar, construction 39
Photographs	03-128	Rear view of model M270DANZZZZ without mylar, construction 39
Photographs	03-129	Front view of model M270HANZZZZ - construction 40
Photographs	03-130	Rear view of model M270HANZZZZ with mylar, construction 40
Photographs	03-131	Rear view of model M270HANZZZZ without mylar, construction 40
Photographs	03-132	Front view of model M270HANZZZZ - construction 41
Photographs	03-133	Rear view of model M270HANZZZZ with metal cover, construction 41

Issue Date: 2019-11-13

Page 12 of 12


Report Reference #


E204356-A6030-UL


Revision Date: 2021-05-09


Enclosures


Photographs	03-134	Rear view of model M270HANZZZZ without metal cover, construction 41
-------------	--------	---



















































































































































































































































































































































Revision Date: 2021-05-09

Test Record No. 1

- The manufacturer submitted representative production sample of LCD Panel (LED Backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) for investigation.
- Refer the CB Scheme Test Report Ref. No. E204356-A6018-CB-1-Original, dated 2019-11-13 for relative test results, CB Scheme Test Certificate Ref. No. DK-89562-UL dated 2019-11-13 and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description

Revision Date: 2021-05-09

Test Record No. 2

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) employ the following:

(1) Add an alternate construction of model M270DANZZZZ

- Refer the CB Scheme Test Report Ref. No. E204356-A6018-CB-1-Amendment-1, dated 2020-04-07 for relative test results, CB Scheme Test Certificate Ref. No.DK-89562-M1-UL dated 2020-04-08 and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-01	CRD

Revision Date: 2021-05-09

Test Record No. 3

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) employ the following:

(1) Add an alternate mechanical construction of model M270HANZZZZ

- No test was considered necessary and construction checked only.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-02	CRD

Revision Date: 2021-05-09

Test Record No. 4

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) employ the following:

(1) Add an alternate mechanical construction 27 and 28 of model M270DANZZZZ

- No test was considered necessary and construction checked only.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-01	CRD

Revision Date: 2021-05-09

Test Record No. 5

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) employ the following:

(1) Add an alternate construction of model M270DANZZZZ

- Refer the CB Scheme Test Report Ref. No. E204356-A6018-CB-2-Reissue, dated 2020-07-08 for relative test results, CB Scheme Test Certificate Ref. No.DK-99653-UL dated 2020-07-09 and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-01	CRD

Revision Date: 2021-05-09

Test Record No. 6

- The manufacturer submitted representative production samples of LCD Panel (LED Backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) employed the alternate :

(1) Add an alternate a construction of model M270DANZZZZ.

- Refer the CB Scheme Test Report Ref. No. E204356-A6018-CB-2 Amendment 1, dated 2020-08-13 for relative test results, CB Scheme Test Certificate Ref. No. DK-99653-M1-UL dated 2020-08-14 and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-03	CRD

Revision Date: 2021-05-09

Test Record No. 7

- The manufacturer submitted representative production sample of LCD Panel (LED Backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank), employ the following:

(1) Add alternative constructions for models M270DANZZZZ and M270HANZZZZ

- Unless otherwise noted in the list of tests, all tests were conducted by UL under the CB Scheme as detailed under CB certificate NO. DK-99653-M2-UL, date 2020-09-17, CB Report reference No. E204356-A6018-CB-2-Amendment-2, date 2020-09-15.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-01	CRD

Revision Date: 2021-05-09

Test Record No. 8

- The manufacturer submitted representative production sample of LCD Panel (LED Backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank), employ the following:

(1) Add alternative construction for models M270DANZZZZ

- Unless otherwise noted in the list of tests, all tests were conducted by UL under the CB Scheme as detailed under CB certificate NO. DK-99653-M3-UL, date 2020-12-09, CB Report reference No. E204356-A6018-CB-2 Amendment 3, date 2020-12-09.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-04	CRD

Revision Date: 2021-05-09

Test Record No. 9

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) employed the alternate:

1. Add an alternative construction for model M270DANZZZZ

- Refer the CB Scheme Test Report Ref. E204356-A6018-CB-3 Original, dated 2021-01-06 for relative test results, CB Scheme Test Certificate Ref. No. DK-108423-UL dated 2021-01-07 and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-01	CRD

Revision Date: 2021-05-09

Test Record No. 10

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank), employed the alternate:

1. Add alternative construction for models M270DANZZZZ

- Refer the CB Scheme Test Report Ref. E204356-A6018-CB-3 Amendment 1, dated 2021-01-19 for relative test results, CB Scheme Test Certificate Ref. No. DK-108523-M1-UL dated 2021-01-20 and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-01	CRD

Revision Date: 2021-05-09

Test Record No. 11

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Models M270HWZZ, M270HVNZZZZ, M270DANZZZZ, M270HTNZZZZ, M270HANZZZZ (where Z may be 0-9, A-Z, or a dot, or blank) employed the alternate :

1. Add alternative constructions for models M270HANZZZZ, M270DANZZZZ

- Refer the CB Scheme Test Report Ref. E204356-A6018-CB-3 Amendment 2 issued 2021-02-04, With CB Certificate DK-108423-M2-UL Issued 2021-02-04.and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-05	CRD

Revision Date: 2021-05-09

Test Record No. 12

- The manufacturer submitted representative production sample of LCD Panel (LED backlight), Model M270HANZZZZ (where Z may be any alphanumeric character or a dot or blank) employed the alternate:

1. Add an alternative construction for model M270HANZZZZ

- Refer the CB Scheme Test Report Ref. E204356-A6018-CB-3 Amendment 3 issued 2021-05-09, With CB Certificate DK-108423-M3-UL Issued 2021-05-10 and Report were prepared by UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK.

The following tests were conducted:

Tests performed (name of test and test clause): None	Testing location: None
The following tests were waived: None	Rationale for Waiving

Test results are valid only for the tested equipment. These tests are considered representative of the products covered by this Test Report. The test methods and results of the above tests have been reviewed and found to be in accordance with the requirements in the Standard(s) referenced at the beginning of this Test Report.

The following supplements are provided as part of this Test Record. NOTE: These supplements are only available to the Applicant via the myUL™ Client Portal.

Type	Supplement Id	Description
Attachment	02-06	CRD

